

Linear

Bet CH0226

Linear luminaire




Linear luminaire. 22 W. 2700, 3000, 4000 K. 97 CRI.

— LED source: Citizen

Power 22 W	Voltage 230 V AC	Luminous flux 1706 lm
Colour temperature 2700 K, 3000 K, 4000 K	CRI 97 CRI	IP rating IP20
Certifications CE	Mounting Surface	Finishes White

Dimensions




Models

Code	Version	Power	Voltage	Flux	CRI	Size
CH0226	Wall washer	22 W	230 V AC	1706 lm	97 CRI	269 × 34 × 68 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for CH0226, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

CH0226, 22 W, wall washer



Luminous flux	1,706 lm
Efficacy	78 lm/W
Peak intensity	1,533 cd, 899 cd/klm
Beam angle (50%)	asymmetric
Cut-off angle (2.5%)	90°
Flux 0–30° / 30–60° / 60–90°	23.9 / 60.4 / 15.7 %
Size	269 × 34 × 68 mm
Data	Calculated from catalogue data

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.