

Outdoor

Bollard SL0055

Outdoor luminaire




Outdoor luminaire. 13 W. 2700, 3000, 4000 K. IP65.
97 CRI.

— LED source: Citizen

Power 13 W	Voltage 24 V DC	Luminous flux 1040 lm
Colour temperature 2700 K, 3000 K, 4000 K	CRI 97 CRI	IP rating IP65
Certifications CE	Mounting Floor, Wall	Finishes Black

Dimensions



Models

Code	Version	Power	Voltage	Flux	CRI	Size
SL0055	H 422 mm	13 W	24 V DC	1040 lm	97 CRI	H422 mm; head Ø120 mm; ground spike Ø50 × 210 mm
SL0059	H 622 mm	13 W	24 V DC	1040 lm	97 CRI	H622 mm; head Ø120 mm; ground spike Ø50 × 210 mm
SL0063	H 812 mm	13 W	24 V DC	1040 lm	97 CRI	H812 mm; head Ø120 mm; ground spike Ø50 × 210 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for SL0055, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

SL0055, 13 W, wide distribution

