

Outdoor

Bollard SL0136

Outdoor luminaire




Outdoor luminaire. 10 W. 2700, 3000, 4000 K. IP65.
97 CRI.

— LED source: Citizen

Power 10 W	Voltage 24 V DC	Luminous flux 800 lm
Colour temperature 2700 K, 3000 K, 4000 K	CRI 97 CRI	IP rating IP65
Certifications CE	Mounting Floor, Wall	Finishes Black

Dimensions




Models

Code	Version	Power	Voltage	Flux	CRI	Size
SL0136	H 200 mm	10 W	24 V DC	800 lm	97 CRI	Ø75 x H200 mm
SL0137	H 400 mm	10 W	24 V DC	800 lm	97 CRI	Ø75 x H400 mm
SL0138	H 600 mm	10 W	24 V DC	800 lm	97 CRI	Ø75 x H600 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for SL0136, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

SL0136, 10 W, wide distribution



DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.