

Outdoor

Bollard SL0161

Outdoor luminaire




Outdoor luminaire. 3 W. 2700, 3000, 4000 K. IP65.
97 CRI.

— LED source: Citizen

Power 3 W	Voltage 24 V DC	Luminous flux 560 lm
Colour temperature 2700 K, 3000 K, 4000 K	CRI 97 CRI	IP rating IP65
Certifications CE	Mounting Floor, Wall	Finishes Black

Dimensions



Models

Code	Version	Power	Voltage	Flux	CRI	Size
SL0161	H 371 mm	3 W	24 V DC	560 lm	97 CRI	H371 mm, head Ø40 × 65 mm
SL0162	H 571 mm	3 W	24 V DC	560 lm	97 CRI	H571 mm, head Ø40 × 65 mm
SL0163	H 761 mm	3 W	24 V DC	560 lm	97 CRI	H761 mm, head Ø40 × 65 mm
SL0164	H 961 mm	3 W	24 V DC	560 lm	97 CRI	H961 mm, head Ø40 × 65 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for SL0161, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

SL0161, 3 W, wide distribution

