

Magnetic 23 mm system

CX-9254

23 mm linear luminaire




Linear luminaire for the 23 mm magnetic track. 6, 12 or 18 W. 24° beam. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen
- UGR <19

Power 6 W, 12 W, 18 W	Voltage 48 V	Luminous flux 500 lm, 800 lm, 1400 lm
Colour temperature 2700 K, 3000 K, 4000 K	CRI 97 CRI	Beam angles 24°
IP rating IP20	Certifications RoHS, CE	Mounting Magnetic track
Control DALI, 0-10V, Bluetooth, Casambi	Finishes White, Black	

Dimensions



Models

Code	Power	Voltage	Flux	CRI	Size	Beam
CX-9254	6 W	48 V	500 lm	97 CRI	130, H60 mm	24°
CX-9255	12 W	48 V	800 lm	97 CRI	245, H60 mm	24°
CX-9256	18 W	48 V	1400 lm	97 CRI	358, H60 mm	24°

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for CX-9256, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

CX-9256, 18 W, 24° beam

