

Floor

# Mobile ML0028

Floor lamp




Floor lamp. 7 W. 2700, 3000, 4000 K. 97 CRI.

— LED source: Citizen

|                                              |                     |                         |
|----------------------------------------------|---------------------|-------------------------|
| Power<br>7 W                                 | Voltage<br>230 V AC | Luminous flux<br>630 lm |
| Colour temperature<br>2700 K, 3000 K, 4000 K | CRI<br>97 CRI       | IP rating<br>IP20       |
| Certifications<br>CE                         | Mounting<br>Floor   | Finishes<br>Black       |

Dimensions



Models

| Code   | Power | Voltage  | Flux   | CRI    | Size            |
|--------|-------|----------|--------|--------|-----------------|
| ML0028 | 7 W   | 230 V AC | 630 lm | 97 CRI | Ø200 x H1253 mm |
| ML0027 | 7 W   | 230 V AC | 630 lm | 97 CRI | Ø200 x H1238 mm |

# Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for ML0028, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

## ML0028, 7 W, wide distribution

