

Moon system

Moon Disc Pendant M-P08+D133

Moon pendant




Pendant from the Moon range. 8 W. 120° beam. 2700, 3000, 4000 K. 97 CRI.

- Ceiling cut-out Ø67 mm
- LED source: Citizen

Power 8 W	Voltage 48 V DC	Colour temperature 2700 K, 3000 K, 4000 K
CRI 97 CRI	Beam angles 120°	IP rating IP20
Mounting Recessed, Surface, Suspended	Control On/Off, Triac	Finishes Black

Dimensions

M-P08+D133




Models

Code	Version	Power	Voltage	CRI	Size	Cut-out	Beam	Notes
M-P08+D133	Ø133 mm	8 W	48 V DC	97 CRI	Ø133 mm disc; suspension 500~2000 mm; cone 150 mm	Ø67 mm	120°	LED 36 V, 200 mA

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for M-P08+D133, from the same data as the IES and LDT files on the product page. Estimated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

M-P08+D133, 8 W, 120° beam



DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.