Moon system

Moon Floor M-P06+C120B-8W

Moon floor lamp

Floor lamp from the Moon range. 8 W. 120° beam. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen

Power **8 W**	Voltage **48 V DC**	Colour temperature **2700 K, 3000 K, 4000 K**
CRI **97 CRI**	Beam angles **120°**	IP rating **IP20**
Mounting **Floor**	Control **On/Off, Triac**	Finishes **Black**

Dimensions



Models

Code	Version	Power	Voltage	CRI	Size	Beam	Notes
M-P06+C120B-8W	Sphere Ø120	8 W	48 V DC	97 CRI	Sphere Ø120, H1332, base Ø250 mm	120°	LED 36 V, 200 mA

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for M-P06+C120B-8W, from the same data as the IES and LDT files on the product page. Estimated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

M-P06+C120B-8W, 8 W, 120° beam





Luminous flux	480 lm
Efficacy	60 lm/W
Peak intensity	143 cd, 298 cd/klm
Beam angle (50%)	120°
Cut-off angle (2.5%)	90°
Flux 0–30° / 30–60° / 60–90°	23 / 45.1 / 31.8 %
Size	Ø120 × 1332 mm
Data	Estimated from catalogue data

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.