

Wall

Oval Indoor WL0105

Wall light




Wall light. 8 W. 2700, 3000, 4000 K. 97 CRI.

— LED source: Citizen

Power 8 W	Voltage 230 V AC	Luminous flux 700 lm
Colour temperature 2700 K, 3000 K, 4000 K	CRI 97 CRI	IP rating IP20
Certifications CE	Mounting Surface, Wall	Finishes Black

Dimensions




Models

Code	Power	Voltage	Flux	CRI	Size
WL0105	8 W	230 V AC	700 lm	97 CRI	450 × Ø20 mm tube, back plate 135 × 50 × 30

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for WL0105, from the same data as the IES and LDT files on the product page. Measured with a goniophotometer in the laboratory; each file gives the test date.

WL0105, 8.2 W, 3000 K, 69.2° beam, measured



Luminous flux	317 lm
Efficacy	39 lm/W
Peak intensity	285 cd, 899 cd/klm
Beam angle (50%)	69.2°
Field angle (10%)	86.1°
Cut-off angle (2.5%)	57°
Flux 0–30° / 30–60° / 60–90°	61.2 / 37.8 / 1 %
Size	Ø20 × 450 mm
Data	Measured with a goniophotometer (EVERFINE GO-2000B), 22 August 2025

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.