


Wall

Oval Outdoor WL0075

Wall light



Wall light. 8 W. 2700, 3000, 4000 K. IP65. 97 CRI.

— LED source: Citizen

Power 8 W	Voltage 230 V AC	Luminous flux 400 lm
Colour temperature 2700 K, 3000 K, 4000 K	CRI 97 CRI	IP rating IP65
Certifications CE	Mounting Surface, Wall	Finishes Black


Models

Code	Power	Voltage	Flux	CRI	Size
WL0075	8 W	230 V AC	400 lm	97 CRI	155 × 60 × 120 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for WL0075, from the same data as the IES and LDT files on the product page. Measured with a goniophotometer in the laboratory; each file gives the test date.

WL0075, 8.7 W, 3000 K, 81.9° beam, measured



Luminous flux	210 lm
Efficacy	24 lm/W
Peak intensity	120 cd, 571 cd/klm
Beam angle (50%)	81.9°
Field angle (10%)	161.8°
Cut-off angle (2.5%)	90°
Flux 0–30° / 30–60° / 60–90°	4.1 / 11.4 / 84.5 %
Size	155 × 60 × 120 mm
Data	Measured with a goniophotometer (EVERFINE GO-2000B), 22 August 2025

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.