

Track spotlights

Wall washer R3-6185

Track spotlight




Track spotlight. 30 W. 3000, 4000 K. 97 CRI.

- Ceiling cut-out Ø70 mm
- LED source: Citizen

Power 30 W	Luminous flux 2300–2400 lm	Colour temperature 3000 K, 4000 K
CRI 97 CRI	IP rating IP20	Certifications CE, RoHS, EMC, LVD
Mounting Recessed, Surface, Magnetic track	Control DALI-2, 0-10V, Triac	Finishes White, Black

Dimensions




Models

Code	Version	Power	Flux	CRI	Size	Cut-out
R3-6185	Recessed, wall washer	30 W	2300–2400 lm	97 CRI	85 × 163 mm	Ø70 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for R3-6185, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

R3-6185, 30 W, wall washer



Luminous flux	2,300 lm
Efficacy	77 lm/W
Peak intensity	2,722 cd, 1,184 cd/klm
Beam angle (50%)	asymmetric
Cut-off angle (2.5%)	80°
Flux 0–30° / 30–60° / 60–90°	29.6 / 61.1 / 9.3 %
Size	163 × 85 mm
Data	Calculated from catalogue data

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.