

Linear

S3-0068B-2

Linear track luminaire




Linear track luminaire. 55 W. 60° beam. 3000, 4000 K. 97 CRI.

— LED source: Citizen

Power 55 W	Luminous flux 6700–6800 lm	Colour temperature 3000 K, 4000 K
CRI 97 CRI	Beam angles 60°	IP rating IP20
Certifications CE, RoHS, EMC, LVD	Mounting Magnetic track	Control DALI, 0-10V, Triac, Casambi
Finishes White, Black, Grey		

Dimensions




Models

Code	Version	Power	Flux	CRI	Size	Beam
S3-0068B-2	B version	55 W	6700–6800 lm	97 CRI	1147 × 65 × 25 mm	60°

Photometric data

Illuminance on the beam axis (lx) and beam diameter at each mounting distance, per model and beam angle. IES files for every model and beam can be downloaded from the product page.

55 W



Beam	1 m	2 m	3 m
60°	9,161 lx Ø1090 mm	2,290 lx Ø2190 mm	1,017 lx Ø3280 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for S3-0068B-2, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

S3-0068B-2, 55 W, 60° beam

