

Track spotlights

S3-6038D

Track spotlight



Track spotlight.

— LED source: Citizen

Luminous flux 2 × 3700–3800 lm	Colour temperature 3000 K, 4000 K	CRI 97 CRI
IP rating IP20	Certifications CE, RoHS, EMC, LVD	Mounting Magnetic track
Control DALI, 0-10V, Triac, Casambi	Finishes White, Black, Grey	

Models

Code	Version	Flux	CRI	Size
S3-6038D	Wall washer	2 × 3700–3800 lm	97 CRI	277 × 89 mm


Finishes



Black



White




Grey

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for S3-6038D, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

S3-6038D, wall washer



Luminous flux	7,400 lm
Peak intensity	8,758 cd, 1,184 cd/klm
Beam angle (50%)	asymmetric
Cut-off angle (2.5%)	80°
Flux 0–30° / 30–60° / 60–90°	29.6 / 61.1 / 9.3 %
Size	277 × 89 mm
Data	Calculated from catalogue data

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.