Outdoor

M22 Lawn Lamp

Outdoor luminaire



Outdoor luminaire. 4 W. 2700, 3000, 4000 K. IP65. 97 CRI.

- LED source: Citizen

Power **4 W**	Voltage **24 V DC**	Colour temperature **2700 K, 3000 K, 4000 K**
CRI **97 CRI**	IP rating **IP65**	Mounting **Floor**
Control **On/Off**	Finishes **Black**	

Dimensions




Models


Code	Power	Voltage	CRI	Size	Notes
WA-M22-1203	4 W	24 V DC	97 CRI	Ø111 × 568 mm	540 mA

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for WA-M22-1203, from the same data as the IES and LDT files on the product page. Estimated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

WA-M22-1203, 4 W, wide distribution





Luminous flux	**240 lm**
Efficacy	**60 lm/W**
Peak intensity	**76 cd, 318 cd/klm**
Beam angle (50%)	**120°**
Field angle (10%)	**168.5°**
Cut-off angle (2.5%)	**88.5°**
Flux 0–30° / 30–60° / 60–90°	**25 / 50 / 25 %**
Size	**Ø111 × 568 mm**
Data	**Estimated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.